

Safety Data Sheet

acc. to OSHA, Appendix D to 1910.1200

Product name Grip Gloss

Version number: GHS 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: Grip Gloss

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses rubber and vinyl dressing

1.3 Details of the supplier of the safety data sheet:

Limitless Car Care, Inc.
P.O. Box 9332
Bardonia, NY 10954

Telephone: (845) 215-9990

Fax:

e-mail: info@limitlesscarcare.com

Competent person responsible for the SDS Chris Grehl

1.4

Emergency telephone number

Emergency information service

USA 1.800.535.5053, INTL 1.352.323.3500
24 hour emergency telephone number.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Annex	Hazard class and category	Hazard statement code (s)
-------	---------------------------	---------------------------

Remarks

For full text of H-phrases: see SECTION 16.

Hazards not otherwise classified

Harmful to aquatic life with long lasting effects (GHS category 1: aquatic toxicity - acute and chronic).

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Signal word not required

Pictograms not required

Safety Data Sheet

acc. to OSHA, Appendix D to 1910.1200

Product name Grip Gloss

Version number: GHS 1.0

2.3 Other hazards

Special danger of slipping by leaking/spilling product.




SECTION 3: Composition / information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	identifier	Wt%	Hazard class and category		Hazard statement	Pictograms
polyethylene glycol nonylphenol	CAS No. 9016-45-9	1 - < 5	A.2 A.3	Skin Irrit. 2 Eye Irrit. 2	H315 H319	
ethylene glycol	CAS No. 107-21-1	1 - < 5	A.10 A.9	Acute Tox. 4 STOT RE 2	H302 H373	 

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

Provide fresh air.

Following skin contact

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water.

Safety Data Sheet

acc. to OSHA, Appendix D to 1910.1200

Product name Grip Gloss

Version number: GHS 1.0

Following eye contact

Irrigate copiously with clean, fresh water, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

water spray, alcohol resistant foam, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

nitrogen oxides (NO_x), carbon monoxide (CO), carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose it.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

Safety Data Sheet

acc. to OSHA, Appendix D to 1910.1200

Product name Grip Gloss

Version number: GHS 1.0

Advices on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage (sawdust, kieselgur (diatomite), sand universal binder).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

Reference to other sections

Hazardous combustion products: see section 5. Personal precautions: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not to eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

Incompatible substances or mixtures

observe compatible storage of chemicals.

Control of the effects

Protect against external exposure, such as
frost

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Safety Data Sheet

acc. to OSHA, Appendix D to 1910.1200

Product name Grip Gloss

Version number: GHS 1.0

National limit values

Occupational exposure limit values(Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Source
US	n-amyl acetate	628-63-7	PEL	100	525			29 CFR OSHA

Notation

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period unless otherwise specified.

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average.

Relevant DNELs/DMELs/PNECs and other threshold levels

No data available.

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leaktightness / impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams / ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

Safety Data Sheet

acc. to OSHA, Appendix D to 1910.1200

Product name Grip Gloss

Version number: GHS 1.0

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state : Liquid

Color : White

Odor : Cherry

Other physical and chemical parameters

pH (value) : 4.5-5.5 at 25 °C

Melting point / freezing point : not determined

Initial boiling point and boiling range : 100 °C

Flash point : not determined (closed cup)

Evaporation rate : not determined

Flammability (solid, gas) : not relevant (fluid)

Explosive limits : not determined

Vapor pressure : 31.69 hPa at 25 °C

Density : 0.99 g/cm³ 8.27 lbs/US Gal

Solubility(ies) : not determined

Partition coefficient

n-octanol/water (log KOW) : This information is not available

Auto-ignition temperature : 383 °C

Viscosity : not determined

Explosive properties : none

Oxidizing properties : none

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid"

10.3 Possibility of hazardous reactions

No known hazardous reactions.

Safety Data Sheet

acc. to OSHA, Appendix D to 1910.1200

Product name Grip Gloss

Version number: GHS 1.0

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

Physical stresses which might result in a hazardous situation and have to be avoided

strong shocks

10.5 Incompatible materials

There is no additional information.

Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula)

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	ATE
ethylene glycol	107-21-1	oral	500

Skin corrosion / irritation

Shall not be classified as corrosive/irritant to skin.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant.

Carcinogenicity

National Toxicology Program (United States)

none of the ingredients are listed

IARC Monographs

none of the ingredients are listed

Safety Data Sheet

acc. to OSHA, Appendix D to 1910.1200

Product name Grip Gloss

Version number: GHS 1.0

Specific target organ toxicity (STOT)

Shall not be classified as a specific target organ toxicant.

Aspiration hazard

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity (acute)

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
polyethylene glycol nonylphenol	9016-45-9	LC50	1.821 mg/l	aquatic invertebrates	48 hours
polyethylene glycol nonylphenol	9016-45-9	EC50	20 mg/l	algae	48 hours
polyethylene glycol nonylphenol	9016-45-9	ErC50	50 mg/l	algae	48 hours
ethylene glycol	107-21-1	LC50	72,860 mg/l	fish	96 hours
ethylene glycol	107-21-1	EC50	>100 mg/l	aquatic invertebrates	48 hours

12.2 Process of degradability

Data are not available.

Degradability of components of the mixture

Name of substance	CAS No	Process	Degradation rate	Time
ethylene glycol	107-21-1	DOC removal	90 - 100%	10 d

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
polyethylene glycol nonylphenol	9016-45-9		3.7	

Safety Data Sheet

acc. to OSHA, Appendix D to 1910.1200

Product name Grip Gloss

Version number: GHS 1.0

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions / safety data sheets.

Waste treatment of containers / packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

13.2 Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number

3082
(not subject to transport regulations)

14.2 UN proper shipping name

**ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.**

Hazardous constituents

polyethylene glycol nonylphenol

14.3 Transport hazard class(es)

Class

9 (miscellaneous dangerous substances and articles) (environmentally hazardous)

14.4 Packing group

III (substance presenting low danger)

14.5 Environmental hazards

none (non-environmentally hazardous acc. to the dangerous goods regulations)

Safety Data Sheet

acc. to OSHA, Appendix D to 1910.1200

Product name Grip Gloss

Version number: GHS 1.0

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

The cargo is not intended to be carried in bulk.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System (American Coatings Association)

Category	Rating	Description
Chronic	*	Chronic (long-term) health effects may result from repeated overexposure.
Health	0	No significant risk to health.
Flammability	1	Materials that must be preheated before ignition can occur.
Physical hazard	0	Materials that are normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosives.
Personal protective equipment	-	

Safety Data Sheet

acc. to OSHA, Appendix D to 1910.1200

Product name Grip Gloss

Version number: GHS 1.0

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States) National Fire Protection Association (United States)

Category	Degree of hazard	Description
Flammability	1	Materials that must be preheated before ignition can occur.
Health	0	Materials that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material.
Instability	0	Materials that are normally stable, even under fire conditions.
Special hazard		

Relevant European Union (EU) safety, health and environmental provisions

Classification according to GHS (1272/2008/EC,CLP)

Harmful to aquatic life with long lasting effects (GHS category 3: aquatic toxicity - acute and chronic).

SECTION 16: Other information

16.1 Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR OSHA	29 CFR § 1910.1001 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
Acute Tox.	acute toxicity
ATE	Acute Toxicity Estimate
BCF	BioConcentration Factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (Service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures

Safety Data Sheet

acc. to OSHA, Appendix D to 1910.1200

Product name Grip Gloss

Version number: GHS 1.0

Abbr.	Descriptions of used abbreviations
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
COD	chemical oxygen demand
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
Eye Dam.	seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IARC Monographs	IARC Monographs on the Evaluation of Carcinogenic Risks to Humans
log KOW	n-octanol/water
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NFPA® 704	National Fire Protection Association: System for the Identification of the Hazards of Materials for Emergency Response (United States)
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System-HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts per million
Skin Corr.	Corrosive to skin
Skin Irrit.	irritant to skin
STOT RE	specific target organ toxicity - repeated exposure
vPvB	very Persistent and very Bioaccumulative

Safety Data Sheet

acc. to OSHA, Appendix D to 1910.1200

Product name Grip Gloss

Version number: GHS 1.0

16.2 Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200
49 CFR § 172.101 Hazardous Materials Table (DOT)

16.3 Classification Procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards / Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

16.4 List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H302	harmful if swallowed
H315	causes skin irritation
H319	causes serious eye irritation
H373	may cause damage to organs through prolonged or repeated exposure

16.5

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.